Assignment 2


Agenda


Assignment 1

- Labs
- Grading
- Solution


Assignment 2

- Briefing
- Grading
- Labs









- Controllers
- ▶ models ▶ ⊕ utils
- ▶ March JRE System Library [JavaSE-1.7]
- Referenced Libraries
 - xstream-1.4.4.jar
 - ▶ 600 guava-14.0.1.jar

▼ models.ActivityTest [Runner: JUnit 4] (0.001 s)

▼ models.LocationTest [Runner: JUnit 4] (0.000 s)

▼ models.UserTest [Runner: JUnit 4] (0.000 s)

Equip Dacomaker with II Init

testToString (0.001 s)

testToString (0.000 s)

testToString (0.000 s) testCreate (0.000 s)

testCreate (0.000 s)

testCreate (0.000 s)

testids (0.000 s)

testlds (0.000 s)

Failure Trace


- asg.cliche-110413.jar
- 🔊 guava-14.0.1.jar
- 🜌 xstream-1.4.4.jar

Failures: 0

log.txt

Lab-03 Objects & Serialization







16



catio

าลท

œ,

ion

ers

) a f

ze 1

ole ι

tive

Extend the pacemaker application

The layout of a variant 2 (Leach-Salz) UUID is as follows

0xFFFFFFF00000000 Platform SE 8) 0x00000000FFFF0000 time mid 0x0000000000000F000 version

0x0000000000000FFF time_hi

The least significant long consists of the following unsign 0xC0000000000000000 variant

0x3FFF000000000000 clock_seq 0x0000FFFFFFFFFF node

Refactor pacemaker to employ uuid instead of long ids. Unsure the tests as still passing as we make this transition. Make a start command line formatting features.

Lab-06 Maven



Apache Maven 3.1.0 (893ca28a1da9d5f51ac03827af98bb7 Maven home: /Users/edeleastar/dev/apache-maven-3.1. Java version: 1.7.0_40, vendor: Oracle Corporation Java home: /Library/Java/JavaVirtualMachines/jdk1.7 Default locale: en_US, platform encoding: UTF-8 OS name: "mac os x", version: "10.8.5", arch: "x86_

In the previous lab, you installed Maven. In this lab, we will incorporate Maven into our pacemaker-console-lab05 solution. We will also use Maven to bring JUnit5 capabilities into Eclipse.

Standard	Core Features [30%]	Presentation [20%]	Tests [30%]	Build Systems [20%]
Baseline	Users/Activities/ Locations (lius, la, du)	Plain	basic API tests	none
Good	Start DateTime (la sortBy:) Persistence - XML (l, s)	Pretty	full API tests	maven (build)
Excellent	Persistence -JSON (cff)	Tabular	UI Tests	maven (test)
Outstanding	Persistence - YAML OR Extra Reports	Enhanced	accurate coverage report submitted	maven (modular approach)

Lab-08 Skeleton



```
app.get("/users", ctx -> {
    service.listUsers(ctx);
});

app.post("/users", ctx -> {
    service.createUser(ctx);
});

app.get("/users/:id", ctx -> {
    service.listUser(ctx);
});

app.get("/users/:id/activities", ctx -> {
    service.getActivities(ctx);
});
```

Develop a baseline for Assignment 2, to include a simplified version of pacemaker application developed so far

Lab-09 Simple Rest API





REST ADI


Evolve a simple Rest :

the existing pacemal

app using the J

Lab-10 Rest CLI + Test





Lab-11 Kotlin Rest Service



ent for d a mi ervice. Lab-12 Kotlin Rest CLI + test





Rewrite aspects of the Pacemaker Skeleton Service in Kotlin. Verify that translation via the Java test and CLI clients.



Rewrite the Java Test and CLI clients in Kotlin.

Assignment: Pacemaker 2.0

Create a new version of Pacemaker, evolved to explore 4 lines of inquiry



- Commands/Features
- Test Driven Development Practices
- Build & Deployment
- Language Features

Commands/Features (1/4)

List Users: List all users emails, first and last names	gu get-users ()	
Register: Create an account for a new user	ru register-user (first name, last name, email, password)	
Login: Log in a registered user in to pacemaker	lu login-user (email, password)	
Logout: Logout current user	I logout ()	
Add activity: create and add an activity for the logged in userr	aa add-activity (type, location, distance)	
List Activities: List all activities for logged in user	la list-activities ()	

Commands/Features (2/4)

	, ,	
Add location: Append location to an activity"	al add-location (activity-id, lat, lng)	
List Activity Location: List all locations for a specific activity	lal list-activity-locations (activity-id)	
ActivityReport: List all activities for logged in user, sorted alphabetically by type	ar activity-report ()	
Follow Friend: Follow a specific friend	f follow (email)	
List Friends: List all of the friends of the logged in user	If list-friends ()	
Friend Activity Report: List all activities of specific friend, sorted alphabetically by type	far friend-activity-report (email)	

Commands/Features (3/4)

Activity Report: List all activities for logged in user by type. Sorted longest to shortest distance	ar activity-report (byType: type)
Unfollow Friends: Stop following a friend	uf unfollow-friend ()
Message Friend: send a message to a friend	mf message-friend (email, message)
List Messages: List all messages for the logged in user	Im list-messages ()
Distance Leader Board: list summary distances of all friends, sorted longest to shortest	dlb distance-leader-board ()
Friend Activity Report: List all activities of specific friend, sorted alphabetically by type	

Commands/Features (4/4)

Distance Leader Board: distance leader board refined by type	dlbbt distance-leader-board-by-type (byType: type)
Message All Friends: send a message to all friends"	maf message-all-friends (message)
Location Leader Board: list sorted summary distances of all friends in named location	Ilb location-leader-board (location)


Test Driven Development Practices



Build & Deployment

Eclipse project archive

- pacemaker-console



github repo

- pacemaker-console

maven github repos:

- pacemaker-service
- pacemaker-console


pacemaker-service provides REST API pacemaker-console access API (over http)

O)

useful

pacemaker-service deployed to cloud pacemaker-client access cloud service

Language Features




Java

Java with Lambdas

Java with Streams OR Kotlin

Kotlin

concise



Grading Spectrum

Grade Band	Packaging & Deployment	Commands	TDD Coverage	Language
Starter	Eclipse project archive - pacemaker-console	<pre>gu get-users () ru register-user (first name, last name, email, password) lu login-user (email, password) l logout () aa add-activity (type, location,</pre>	30%	Java
Baseline	github repo - pacemaker-console	al add-location (activity-id, longitude, latitude) lal list-activity-locations (activity-id) ar activity-report () f follow (email) lf list-friends () far friend-activity-report (email)	40%	Java
Good	maven github repos: - pacemaker-service - pacemaker-console	<pre>ar activity-report (byType: type) uf unfollow-friend () mf message-friend (email, message) lm list-messages () dlb distance-leader-board ()</pre>	50%	Java with Lambdas
Excellent	pacemaker-service provides REST API pacemaker-console access API (over http)	dlbbt distance-leader-board-by-type (byType: type) maf message-all-friends (message) llb location-leader-board (location)	65%	Java with Streams OR Kotlin
Outstanding	pacemaker-service deployed to cloud pacemaker-client access cloud service	Admin Account Define commands to administer service, to include: - remove users - disable/enable users - report user stats (nmr logins, average number of activities etc)	80% With Mocking	Kotlin

Lab-06 Maven



\$ mvn -version
Apache Maven 3.1.0 (893ca28a1da9d5f51ac03827af98bb7
Maven home: /Users/edeleastar/dev/apache-maven-3.1.
Java version: 1.7.0_40, vendor: Oracle Corporation
Java home: /Library/Java/JavaVirtualMachines/jdk1.7
Default locale: en_US, platform encoding: UTF-8
OS name: "mac os x", version: "10.8.5", arch: "x86_\$

In the previous lab, you installed
Maven. In this lab, we will
incorporate Maven into our
pacemaker-console-lab05 solution.
We will also use Maven to bring
JUnit5 capabilities into Eclipse.

Lab 06

Packaging & Deployment

Eclipse project archive - pacemaker-console

github repo

- pacemaker-console




maven github repos:


- pacemaker-service
- pacemaker-console

Guidance on implementing maven modules

pacemaker-service provides REST API pacemaker-console access API (over http)



Build a sample solu Assignment 1, usin techniques, Maven 8





Guidance on overall project structure
Class Responsibilities
Code Formatting

Lab-08 Skeleton



```
app.get("/users", ctx -> {
    service.listUsers(ctx);
});

app.post("/users", ctx -> {
    service.createUser(ctx);
});

app.get("/users/:id", ctx -> {
    service.listUser(ctx);
});

app.get("/users/:id/activities", ctx -> {
    service.getActivities(ctx);
});
```

Develop a baseline for Assignment 2, to include a simplified version of pacemaker application developed so far

Provide foundation application structure + implement starter commands

Lab 08



Commands

gu get-users ()
ru register-user (first name, last name,
email, password)
lu login-user (email, password)
l logout ()
aa add-activity (type, location,



<u>Lab 09</u>



Packaging & Deployment

Eclipse project archive - pacemaker-console

github repo


- pacemaker-console

maven github repos:


- pacemaker-service
- pacemaker-console

pacemaker-service provides REST API pacemaker-console access API (over http)

Evolve Starter commands into REST service



<u>Lab 10</u>





80% With Mocking


Lab-11 Kotlin Rest Service



Lab 11 & 12



Rewrite aspects of the Pacemaker Skeleton Service in Kotlin. Verify that translation via the Java test and CLI clients.



Explore Kotlin implementations of pacemaker starter service



Java

Java

Java with Lambdas

Java with Streams OR Kotlin

Kotlin

