

Web Development

Produced
by

Eamonn de Leastar (edeleastar@wit.ie)
Dr. Brenda Mullally (bmullally@wit.ie)

Department of Computing, Maths & Physics
Waterford Institute of Technology

<http://www.wit.ie>

<http://elearning.wit.ie>



Waterford Institute *of* Technology
INSTITIÚID TEICNEOLAÍOCHTA PHORT LÁIRGE

Multicolumn Page Layout

Web Development

Agenda

- The DOM, HTML Parsing & Rendering
- Formatting concepts in CSS
- A simple, worked example of multicolumn layout
- A worked example of a “tabbed” multicolumn layout


Parsing & Rendering

- A web browser typically reads and renders HTML documents in two phases:
 - the parsing phase
 - the rendering phase.
- During the parsing phase, the browser reads the markup in the document, breaks it down into components, and builds a Document Object Model (DOM) tree.
- The DOM is a in-memory data structure, typically traversed by Java Script code

DOM Tree


- Each object in the DOM tree is called a node.
- There are several types of nodes, including element nodes and text nodes.
- At the top of the tree is a document node, which contains an element node called the root node; this is always the `html` element in HTML documents.
- It branches into two child element nodes—`head` and `body`—which then branch into other children.

```
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01//EN"  
    "http://www.w3.org/TR/html4/strict.dtd">  
<html>  
  <head>  
    <title>Widgets</title>  
  </head>  
  <body>  
    <h1>Widgets</h1>  
    <p>Welcome to Widgets, the number one company  
      in the world for selling widgets!</p>  
  </body>  
</html>
```



Parents, Grandparents, Children, Grandchildren

Siblings



- A child node is structurally subordinate to its parent node - the child's tags are nested inside the tags of the parent.
- A node can be called a descendant node if it's a child, grandchild, and so on, of another node.
- A node can be called an ancestor node if it's a parent, grandparent, and so on, of another node.
- Nodes that have the same parent are called siblings. .

Block & Inline

- When the DOM tree has been constructed, and any CSS style sheets have been loaded and parsed, the browser starts the rendering phase.
- Each node in the DOM tree will be rendered as zero or more boxes.
- A box is always rectangular, it has four sides with a 90° angle between each side.
- HTML Elements are either block-level or inline-level.
 - block-level HTML elements generate block boxes,
 - while inline-level HTML elements generate inline boxes.
- The separation into block-level and inline elements in HTML is specified in the HTML document type definition


CSS Box Model

- The box model is the central mechanism for determining how an element is positioned on a web page.
- Some key concepts:
 - Box Structure
 - Calculating Box Dimensions
 - The Containing Block
 - Collapsing Margins

Box Structure

- The content area in the center, the padding around the content area, the border area, and the margin area.
- The outer edge of the content area is called the content edge or inner edge; the outer edge of the padding area is called the padding edge; the outer edge of the border area is called the border edge; and the outer edge of the margin area is called the margin edge or outer edge

```
.box
{
    width: 300px;
    height: 200px;
    padding: 10px;
    border: 1px solid #000;
    margin: 15px;
}
```



Calculating Box Dimensions

- Block-level elements can only be rectangular.
- Calculate the overall dimensions of a block-level element by taking into account the height and width of the content area, as well as any margins, padding, and borders that are applied to the element.
- Define the content width of an element by declaring its [width](#) and [height](#) properties. If no declarations are applied, the default value for the width and height properties is auto.

The Containing Block

- CSS rendering comprises the tasks of laying out and rendering numerous boxes. Element boxes are positioned within a formatting context, which, by default, is provided by the box generated by a parent element.
- When we specify the positions or dimensions of element boxes, we're doing so relative to what's known as the containing block, which is a very important concept in CSS layout.
- The containing block for the root element is called the initial containing block, and has the same dimensions as the [viewport](#) - generally the browser window
- The containing block for other elements is generally the immediate parent

Collapsing Margins

- When the vertical margins of two elements are touching, only the margin of the element with the largest margin value will be honored, while the margin of the element with the smaller margin value will be collapsed to zero
- In this example, the gap between the elements is only 25px, and the smaller margin has collapsed to zero
- Exceptions to this rule:
 - floated elements
 - absolutely positioned elements
 - 4 other special cases....

```
h1 {  
    margin: 0 0 25px 0;  
    background: #cfc;  
}  
  
p {  
    margin: 20px 0 0 0;  
    background: #cf9;  
}
```



Formatting Concepts

- Layout Rules
 - Block Formatting
 - Inline Formatting
 - List Formatting
 - Table Formatting
 - Replaced Elements
- Positioning Rules
 - Relative Positioning
 - Absolute Positioning
 - Fixed Positioning
 - Stacking Contexts
 - Floating & Clearing

Liquid Layout vs Fixed Layout

- Liquid Layout:
 - All containers on the page have their widths defined in percents.
 - A liquid layout will move in and out when you resize your browser window.
- Fixed Layout:
 - All containers on the page have their widths defined in pixels or other fixed units
 - A fixed layout will not move in and out when you resize your browser window.



References (1)

Liquid layouts the easy way

Date: 30 December 2003

Author: [Russ Weakley](#)

This article explains one method of achieving a successful liquid layout as well as providing basic definitions of liquid, fixed-width and em-driven layouts.

Some definitions

Liquid layout

All containers on the page have their widths defined in percents – meaning that they are completely based on the [viewport](#) rather than the initial [containing block](#). A liquid layout will move in and out when you resize your browser window.

▶ [Liquid layout example](#)

Combination liquid and fixed layouts

Similar to liquid layouts, except one or more of the containers on the page have fixed widths.

▶ [Liquid/fixed layout example](#)

Fixed-width layouts

All containers on the page have their widths defined in pixels or other fixed units. They are completely independent of the viewport. A fixed layout will not move in and out when you resize your browser window.

<http://www.maxdesign.com.au/articles/liquid/>

References (2)

▼ CSS Layout and Formatting	
The Viewport, the Page Box, and the Canvas	
▼ The CSS Box Model	
Containing Block	
Collapsing Margins	
The Internet Explorer 5 Box Model	
The Internet Explorer hasLayout Property	
▼ Formatting Concepts	
Block Formatting	
Inline Formatting	
List Formatting	
Table Formatting	
Replaced Elements	
▼ Positioning	
Relative Positioning	
Absolute Positioning	
Fixed Positioning	
Stacking Contexts	
Floating and Clearing	
The Relationship Between display, position, and float	

Floating and Clearing

A floated element is one whose `float` property has a value other than `none`. The element can be shifted to the left (using the value `left`) or to the right (using the value `right`); non-floated content will flow along the side opposite the specified float direction.¹

The floated box is shifted to the left or right until its margin edge touches the padding edge of the containing block, or the margin edge of another floated element. If the floated element is within a line box, the top of the floated box is aligned with the top of the line box. If there isn't enough horizontal room left for non-floated content to flow alongside the floated box on the current line, it's shifted down until it fits, or there are no more floated elements.



Defining the Margin Edge

The **margin edge** of a box surrounds the margin of the box. If the box has no margins, the margin edge is the same as the border edge. See [The CSS Box Model](#) for more information.

A floated box is taken out of the flow, so it doesn't affect the block-level boxes around it. Line boxes located next to a floated box, however, are shortened to make room for the float. A containing block will not expand to accommodate a floating child box, unless the containing block is also floating, or has its `overflow` property set to something other than `visible`.²

[Figure 1](#) shows a schematic view of the following HTML fragment, in which the image is floated to the left:

Multi-Column Layout - A Worked Example

Lorem ipsum dolor sit

Consectetuer adipiscing elit. Sed feugiat nisi at sapien. Phasellus varius tincidunt ligula. Praesent nisi. Duis sollicitudin. Donec dignissim, est vel auctor blandit, ante est laoreet neque, non pellentesque mauris turpis eu purus.

Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus pede lobortis velit, nec placerat dolor pede nec nibh. Donec fringilla. Duis adipiscing diam at enim. Vestibulum nibh.

Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices. Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros. Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit amet, semper ut, felis. Praesent nisi.


Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at, euismod sit amet, porttitor ac, mauris.

Vestibulum interdum aliquet lacus. Vestibulum egestas. Fusce adipiscing quam sed metus.

Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae libero.

- Mauris
 - Cras
 - Proin
 - Integer
 - Curabitur
 - Integer
 - Suspendisse
 - Quisque

Proin quis orci eu erat molestie varius. Praesent condimentum orci in lectus. Ut ipsum. In hac habitasse platea dictumst.



Lorem ipsum dolor sit

- Mauris
 - Cras
 - Proin
 - Integer
 - Curabitur
 - Integer
 - Suspendisse
 - Quisque

Etiam velit. Sed feugiat nisi at sapien. Phasellus varius tincidunt ligula. Praesent nisi. Duis sollicitudin. Donec dignissim, est vel auctor blandit, ante est laoreet neque, non pellentesque mauris turpis eu purus.

Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at, euismod sit amet, porttitor ac, mauris.

Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus pede lobortis velit. nec placerat dolor pede nec nibh. Donec fringilla. Duis adipiscing diam at enim. Vestibulum nibh.

Vestibulum interdum
aliquet lacus.
Vestibulum egestas.
Fusce adipiscing quam
sed metus.

Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices. Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros. Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit amet, semper ut, felis. Praesent nisi.

Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae libero.

Proin quis orci eu erat molestie varius. Praesent condimentum orci in lectus. Ut ipsum. In hac habitasse platea dictumst.

Content

- 1 **<h1>**

```
...
<body>
<h1>
    Lorem ipsum dolor sit
</h1>
<p>
    Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Sed feugiat nisi
    at sapien. Phasellus varius tincidunt ligula. Praesent nisi. Duis
    sollicitudin. Donec dignissim, est vel auctor blandit, ante est laoreet
    neque, non pellentesque mauris turpis eu purus.
</p>
```

- 6 **<p>'s**

```
<p>
    Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla
    fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus
    pede lobortis velit, nec placerat dolor pede nec nibh. Donec fringilla. Duis
    adipiscing diam at enim. Vestibulum nibh.
```

- 1 ****

```
<p>
    Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet
    massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices.
    Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros.
    Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in
    elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit
    amet, semper ut, felis. Praesent nisi.
```

- 1 **<p>**

```
<p>
    Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at,
    euismod sit amet, porttitor ac, mauris.
```

```
</p>
<p>
    Vestibulum interdum aliquet lacus. Vestibulum egestas. Fusce adipiscing
    quam sed metus.
```

```
</p>
<p>
    Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar
    sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae
    libero.
```

```
</p>
<ul>
    <li>Mauris</li>
    <li>Cras</li>
    <li>Proin</li>
    <li>Integer</li>
    <li>Curabitur</li>
    <li>Integer</li>
    <li>Suspendisse</li>
    <li>Quisque</li>
</ul>
```

```
<p>
    Proin quis orci eu erat molestie varius. Praesent condimentum
    orci in lectus. Ut ipsum. In hac habitasse platea dictumst.
```

Content

- header

- maincontent

- primary

- second

- navigation

- footer

```
...
<body>
  <h1>
    Lorem ipsum dolor sit
  </h1>
  <p>
    Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Sed feugiat nisi
    at sapien. Phasellus varius tincidunt ligula. Praesent nisi. Duis
    sollicitudin. Donec dignissim, est vel auctor blandit, ante est laoreet
    neque, non pellentesque mauris turpis eu purus.
  </p>
  <p>
    Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla
    fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus
    pede lobortis velit, nec placerat dolor pede nec nibh. Donec fringilla. Duis
    adipiscing diam at enim. Vestibulum nibh.
  </p>
  <p>
    Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet
    massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices.
    Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros.
    Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in
    elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit
    amet, semper ut, felis. Praesent nisi.
  </p>
  <p>
    Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at,
    euismod sit amet, porttitor ac, mauris.
  </p>
  <p>
    Vestibulum interdum aliquet lacus. Vestibulum egestas. Fusce adipiscing
    quam sed metus.
  </p>
  <p>
    Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar
    sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae
    libero.
  </p>
  <ul>
    <li>Mauris</li>
    <li>Cras</li>
    <li>Proin</li>
    <li>Integer</li>
    <li>Curabitur</li>
    <li>Integer</li>
    <li>Suspendisse</li>
    <li>Quisque</li>
  </ul>
  <p>
    Proin quis orci eu erat molestie varius. Praesent condimentum
    orci in lectus. Ut ipsum. In hac habitasse platea dictumst.
  </p>
</body>
...

```

Target

- header


- maincontent

- primary

- secondary

- navigation

- footer



DIVs (1)

```
<div id="header">
  <h1>
    Lorem ipsum dolor sit
  </h1>
</div>
```

- header
- maincontent
 - primary
 - second

```
<div id="maincontent">
  <div id="primary">
    <p>
      Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Sed feugiat nisi at sapien. Phasellus varius tincidunt ligula. Praesent nisi. Duis sollicitudin. Donec dignissim, est vel auctor blandit, ante est laoreet neque, non pellentesque mauris turpis eu purus.
    </p>
    <p>
      Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus pede lobortis velit, nec placerat dolor pede nec nibh. Donec fringilla. Duis adipiscing diam at enim. Vestibulum nibh.
    </p>
    <p>
      Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices. Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros. Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit amet, semper ut, felis. Praesent nisi.
    </p>
  </div>
  <div id="secondary">
    <p>
      Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at, euismod sit amet, porttitor ac, mauris.
    </p>
    <p>
      Vestibulum interdum aliquet lacus. Vestibulum egestas. Fusce adipiscing quam sed metus.
    </p>
    <p>
      Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae libero.
    </p>
  </div>
</div>
```

Divs (2)

- navigation
- footer

```
<div id="navigation">
  <ul>
    <li><a href="home.html"> Mauris </a></li>
    <li><a href="page1.html"> Cras </a></li>
    <li>Proin</li>
    <li>Integer</li>
    <li>Curabitur</li>
    <li>Integer</li>
    <li>Suspendisse</li>
    <li>Quisque</li>
  </ul>
</div>
```

```
<div id="footer">
  <p>
    Proin quis orci eu erat molestie varius. Praesent condimentum
    orci in lectus. Ut ipsum. In hac habitasse platea dictumst.
  </p>
</div>
```

Sublime Folding View

- Sublime Folding editor can “Expand all” or “Collapse all” of the elements, facilitating a precise focus on the elements under consideration.

The diagram illustrates the Sublime Folding View feature by comparing two states of the same code snippet. On the left, the code is shown with several sections collapsed, indicated by three dots (...). On the right, the code is fully expanded, showing all the nested elements. An arrow points from the collapsed state on the left to the expanded state on the right, highlighting the transition.

```
<body>
  <div id="header"> ...
  </div>
  <div id="maincontent">
    <div id="primary">...
    </div>
    <div id="secondary">...
    </div>
    <div id="navigation"> ...
    </div>
    <div id="footer">...
    </div>
  </body>
```

```
<div id="header">
  <h1>
    Lorem ipsum dolor sit
  </h1>
</div>
<div id="maincontent">
  <div id="primary">...
  </div>
  <div id="secondary">...
  </div>
  <div id="navigation">
    <ul>
      <li>Mauris</li>
      <li>Cras</li>
      <li>Proin</li>
      <li>Integer</li>
      <li>Curabitur</li>
      <li>Integer</li>
      <li>Suspendisse</li>
      <li>Quisque</li>
    </ul>
  </div>
  <div id="footer">...
  </div>
</body>
```

Stylesheet

```
<link type="text/css" rel="stylesheet" href="home.css" media="screen" />
```

- Width of body to be 80% of “containing element” (the browser window)

```
body
{
    width: 80%;
    margin: 0 auto;
}
```

- No top/bottom margin for the page

shortcut for...

- “auto” for left and right

- i.e. the margins to be proportional to the container width and equal in size.

```
body
{
    width: 80%;
    margin-top: 0;
    margin-bottom: 0;
    margin-left: auto;
    margin-right: auto;
}
```

Lorem ipsum dolor sit

Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus pede lobortis velit, nec placerat dolor pede nec nibh. Donec fringilla. Duis adipiscing diam at enim. Vestibulum nibh.

Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices. Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros. Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit amet, semper ut, felis. Praesent nisi.

Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at, euismod sit amet, porttitor ac, mauris.

Vestibulum interdum aliquet lacus. Vestibulum egestas. Fusce adipiscing quam sed metus.

Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae libero.

- Mauris
 - Cras
 - Proin
 - Integer
 - Curabitur
 - Integer
 - Suspendisse
 - Quisque

Proin quis orci eu erat molestie varius. Praesent condimentum orci in lectus. Ut ipsum. In hac habitasse platea dictumst.

- Entire page
is
positioned
centered
within the
browser

```
body  
{  
    width: 80%;  
    margin: 0 auto;
```

Float

```
#maincontent
{
    width: 80%;
    float: right;
}
```

- Width of maincontent is to be 80% of it's container , which in turn is 80% of its container.
- Maincontent is a “floated” box shifted to the right until its margin edge touches the padding edge of the containing block (or the margin edge of another floated element).

file:///Users/edeleastar/perforce/modo/edeleastar/CourseWare/2010/webdevelopment/course/src/workspace/Lab12/

Lorem ipsum dolor sit

- Mauris
- Cras
- Proin
- Integer
- Curabitur
- Integer
- Suspendisse
- Quisque

Proin quis orci eu
erat molestie varius.

Praesent
condimentum orci in
posuere cursus. Sed
vitae justo quis tortor
facilisis ultrices. Integer
id erat. Donec at
lectus. Ut ipsum. In
hac habitasse platea
dictumst.

Phasellus varius tincidunt ligula. Praesent nisi. Duis sollicitudin. Donec dignissim,
est vel auctor blandit, ante est laoreet neque, non pellentesque mauris turpis eu
purus.

Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla fringilla
semper. Aenean aliquam, urna et accumsan sollicitudin, tellus pede lobortis velit,
nec placerat dolor pede nec nibh. Donec fringilla. Duis adipiscing diam at enim.

Vestibulum nibh.

Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet massa
condimentum venenatis, tortor velit vehicula sem, in elementum quam sapien eu
lectus. In dolor urna, ullamcorper vel, tempor sit amet, semper ut, felis. Praesent
nisi.

Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at,
euismod sit amet, porttitor ac, mauris.

Vestibulum interdum aliquet lacus. Vestibulum egestas. Fusce adipiscing quam sed
metus.

Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar sollicitudin, urna arcu
fermentum felis, in rhoncus nunc neque vitae libero.

Show Borders (temporarily)

```
#maincontent
{
    width: 80%;
    float: right;
    border: dashed thin;
}
```

The screenshot shows a web browser window with a title bar containing file:///Users/edeleastar/perforce/modo/edeleastar/CourseWare/2010/webdevelopment/course/src/workspace/Lab12/. The main content area displays a heading "Lorem ipsum dolor sit" and a bulleted list. To the left of the content area, there is a code block showing a CSS rule for "#maincontent" with a "border: dashed thin;" declaration. A dashed blue border surrounds the entire content area, which includes the heading, the list, and the surrounding text blocks.

Heading: **Heading**

Bulleted List:

- Mauris
- Cras
- Proin
- Integer
- Curabitur
- Integer
- Suspendisse
- Quisque

Text Block 1: Proin quis orci eu erat molestie varius. Praesent condimentum orci in lectus. Ut ipsum. In hac habitasse platea dictumst.

Text Block 2: Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed feugiat nisi at sapien. Phasellus varius tincidunt ligula. Praesent nisi. Duis sollicitudin. Donec dignissim, est vel auctor blandit, ante est laoreet neque, non pellentesque mauris turpis eu purus.

Text Block 3: Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus pede lobortis velit, nec placerat dolor pede nec nibh. Donec fringilla. Duis adipiscing diam at enim. Vestibulum nibh.

Text Block 4: Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices. Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros. Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit amet, semper ut, felis. Praesent nisi.

Text Block 5: Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at, euismod sit amet, porttitor ac, mauris.

Text Block 6: Vestibulum interdum aliquet lacus. Vestibulum egestas. Fusce adipiscing quam sed metus.

Text Block 7: Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae libero.

- Show a dashed border around the maincontent to better understand the layout behaviour

Navigation

- take 1

```
#navigation
{
    width: 20%;
    float: left;
    border: dashed thin;
```

- Resize the navigation to be 20% of container
 - Float left
 - However, as width does not include padding & margins, this is too wide to fit on “row” with maincontent, so “flows” below it

Navigation - take 2

```
#navigation
{
    width: 18%;
    float: left;
    border: dashed thin;
}
```

Lorem ipsum dolor sit

- Mauris
- Cras
- Proin
- Integer
- Curabitur
- Integer
- Suspendisse
- Quisque

Proin quis orci eu erat molestie varius. Praesent condimentum orci in lectus. Ut ipsum. In hac habitasse platea dictumst.

Nullam ipsum dolor sit amet, consectetuer adipiscing elit. Sed feugiat nisi at sapien. Phasellus varius tincidunt ligula. Praesent nisi. Duis sollicitudin. Donec dignissim, est vel auctor blandit, ante est laoreet neque, non pellentesque mauris turpis eu purus.

Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus pede lobortis velit, nec placerat dolor pede nec nibh. Donec fringilla. Duis adipiscing diam at enim. Vestibulum nibh.

Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices. Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros. Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit amet, semper ut, felis. Praesent nisi.

Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at, euismod sit amet, porttitor ac, mauris.


Vestibulum interdum aliquet lacus. Vestibulum egestas. Fusce adipiscing quam sed metus.

Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae libero.

- Reset width to 18% - now enough room for navigation & maincontent

Header & Footer

```
#header  
{  
    width: 100%;  
    border: dashed thin;  
}  
  
#footer  
{  
    width: 100%;  
    border: dashed thin;  
}
```




- Header & Footer to be 100% of the container
- Anomalies arise - footer (the text on the left) seem misplaced.
- These borders seem confused

Clear

- “clear” forces an element to start below any floated elements
- An element whose clear property is set to “left” will start below all left-floated boxes in the same block formatting context
- A clear value of “right” will clear all right-floated boxes.
- If clear is set to “both”, the element will start below any floated box in that context

Footer:clear

```
#footer
{
    width: 100%;
    clear: both;
    border: dashed thin;
}
```



Pattern Matching Selectors

```
body
{
    width: 80%;
    margin: 0 auto;
}


#maincontent
{
    width: 80%;
    float: right;
    border: dashed thin;
}

#navigation
{
    width: 18%;
    float: left;
    border: dashed thin;
}

#header
{
    width: 100%;
    border: dashed thin;
}

#footer
{
    width: 100%;
    clear: both;
    border: dashed thin;
}
```

- “*” matches all elements.
- Simplifies CSS, and can be removed when layout under control



```
* {
    border: dashed thin;
}

body
{
    width: 80%;
    margin: 0 auto;
}

#maincontent
{
    width: 80%;
    float: right;
}

#navigation
{
    width: 18%;
    float: left;
}

#header
{
    width: 100%;
}

#footer
{
    width: 100%;
    clear: both;
}
```

Primary & Secondary

```
#primary
{
    width: 68%;
    float: left;
}

#secondary
{
    width: 30%;
    float: right;
}
```

The screenshot shows a web page with a header containing the text "Lorem ipsum dolor sit". Below the header, there are two main sections: a primary section on the left and a secondary section on the right. The primary section contains a list of words and some placeholder text. The secondary section contains three paragraphs of placeholder text.

Primary Section:

- Mauris
- Cras
- Proin
- Integer
- Curabitur
- Integer
- Suspendisse
- Quisque

Placeholder Text (Primary Section):

• Mauris elit. Sed feugiat nisi at sapien. Phasellus varius tincidunt ligula. Praesent nisi. Duis sollicitudin. Donec dignissim, est vel auctor blandit, ante est laoreet neque, non pellentesque mauris turpis eu purus.

Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus pede lobortis velit, nec placerat dolor pede nec nibh. Donec fringilla. Duis adipiscing diam at enim. Vestibulum nibh.

Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices. Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros. Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit amet, semper ut, felis. Praesent nisi.

Proin quis orci eu erat molestie varius. Praesent condimentum orci in lectus. Ut ipsum. In hac habitasse platea dictumst.

Secondary Section:

Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at, euismod sit amet, porttitor ac, mauris.


Vestibulum interdum aliquet lacus.

Vestibulum egestas. Fusce adipiscing quam sed metus.

Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae libero.

“CSS Craftsman”

```
#header  
{  
    width: 100%;  
}  
  
#navigation  
{  
    width: 18%;  
    float: left;  
}  
  
#maincontent  
{  
    width: 80%;  
    float: right;  
}  
  
#primary  
{  
    width: 68%;  
    float: left;  
}  
  
#secondary  
{  
    width: 30%;  
    float: right;  
}  
  
#footer  
{  
    width: 100%;  
    clear: both;  
}
```



file:///Users/edeleastar/perforce/modo/edeleastar/CourseWare/2010/webdevelopment/course/src/workspace/Lab12/WebContent/h

Lorem ipsum dolor sit

- [Mauris](#)
- [Cras](#)
- Proin
- Integer
- Curabitur
- Integer
- Suspendisse
- Quisque

Mauris Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Sed feugiat nisi at sapien. Phasellus varius tincidunt ligula. Praesent nisi. Duis sollicitudin. Donec dignissim, est vel auctor blandit, ante est laoreet neque, non pellentesque mauris turpis eu purus.

Cras Suspendisse mollis leo nec diam. Vestibulum pulvinar tellus sit amet nulla fringilla semper. Aenean aliquam, urna et accumsan sollicitudin, tellus pede lobortis velit, nec placerat dolor pede nec nibh. Donec fringilla. Duis adipiscing diam at enim. Vestibulum nibh.

Proin Nulla facilisi. Aliquam dapibus leo eget leo. Etiam vitae turpis sit amet massa posuere cursus. Sed vitae justo quis tortor facilisis ultrices. Integer id erat. Donec at felis ut erat interdum vestibulum. Quisque et eros. Donec fringilla, est in condimentum venenatis, tortor velit vehicula sem, in elementum quam sapien eu lectus. In dolor urna, ullamcorper vel, tempor sit amet, semper ut, felis. Praesent nisi.

Integer

Curabitur

Integer

Suspendisse


Quisque

Proin quis orci eu erat molestie varius. Praesent condimentum orci in lectus. Ut ipsum. In hac habitasse platea dictumst.

Fusce scelerisque viverra quam. Nam urna. Nullam urna libero, euismod at, euismod sit amet, porttitor ac, mauris.

Vestibulum interdum aliquet lacus. Vestibulum egestas. Fusce adipiscing quam sed metus.

Nullam dignissim aliquam dui. Proin laoreet, elit sed pulvinar sollicitudin, urna arcu fermentum felis, in rhoncus nunc neque vitae libero.



Except where otherwise noted, this content is licensed under a [Creative Commons Attribution-NonCommercial 3.0 License](#).

For more information, please see
<http://creativecommons.org/licenses/by-nc/3.0/>



Waterford Institute *of* Technology
INSTITIÚID TEICNEOLAÍOCHTA PHORT LÁIRGE